

UMS MEDICAL EQUIPMENT SUPPORTS



Allied Tube & Conduit ▸ AFC Cable Systems ▸ Heritage Plastics ▸ Unistrut
Unistrut Construction ▸ Cope ▸ US Tray ▸ Calbrite ▸ Calbond ▸ Kaf-Tech
Columbia-MBF ▸ Eastern Wire + Conduit ▸ ACS/Uni-Fab ▸ Cii
Power-Strut ▸ Calconduit ▸ Razor Ribbon ▸ Calpipe Security
Vergokan ▸ Flexicon ▸ Marco

Atkore
16100 South Lathrop Avenue
Harvey, IL 60426

TOLL FREE / 800-468-9510
FAX / 800-742-0223

atkore.com/unistrutconstruction

Want to join a company that helps you build
the mindset, skill set and tool set for success?
Visit us at atkore.com/careers



AtkoreTM
Unistrut
Construction

UNISTRUT® Construction UMS (Unistrut® Modular Support)

A Versatile Solution for Today's Healthcare Needs

Unistrut Construction is a leader in medical equipment supports installation. Having been in business for over 60 years, the company has adapted to the many changes the industry has undergone. That trend continues with the newest innovation in equipment supports technology.

The market is demanding a better solution for supporting medical equipment. The current method requires a large number of components and fabrication performed in the field that demands a tremendous amount of coordination and expense.


The Unistrut Construction UMS has been designed to alleviate these issues.

UMS benefits include:

- Max load before yield failure at 24,000 ft-lbs!
- Independently tested
- Patent Pending
- Reduced on-site fabrication
- Decreased job-site labor and hours
- Easily adjustable on-site
- Smaller foot print - no external bracing required
- Enhanced portability and ease of shipping

The Unistrut Construction UMS offers a substantial installation time savings over typical methods of supporting medical equipment.

Contact your Unistrut Construction representative for complete details.




Substantial labor savings over typical boom support systems



Max load before yield failure at 24,000 ft-lb! Confirmed by independent test laboratory



Patent Pending



Pre-engineered and tested to meet the loading and deflections requirements